ELSEVIER

Volumes 281–282, Numbers 1–2, 1 August 1996

thin solid films

Contents

Structural study of epitaxial growth on silicon surfaces 1
A. Ichimiya, H. Nakahara, Y. Tanaka (Nagoya, Japan)

Structure and growth features of tungsten clusters deposited on MgO(001) surfaces 5
N. Tanaka, H. Kimata, T. Kizuka (Nagoya, Japan)

Microstructure of germanium films crystallized by high energy ion irradiation 10
S. Nakao, K. Saitoh, M. Ikeyama, H. Niwa, S. Tanemura, Y. Miyagawa, S. Miyagawa (Nagoya, Japan)

Epitaxy of Co/Cu and Cu/Co bilayers on MgO(111) 14
H. Hayasaki, M. Yamamoto, K. Nishikawa (Osaka, Japan), T. Kingetsu (Chiba, Japan)

Heteroepitaxial growth of InSb(111) on Si(111) 17
M. Kitabatake (Kyoto, Japan), T. Kawasaki, T. Korechika (Osaka, Japan)

In situ reflection electron microscope observation of two-dimensional nucleation on Si(111) during epitaxial growth 20
A.V. Latyshev, A.B. Krasilnikov, A.L. Aseev (Novosibirsk, Russia)

Surface structure of single-crystal CeO_2 layers grown on Si 24
T. Inoue (Fukushima, Japan), Y. Yamamoto, M. Satoh (Tokyo, Japan), A. Ide, S. Katsumata (Fukushima, Japan)

Heteroepitaxial growth of yttria-stabilized zirconia film on oxidized silicon by reactive sputtering 28
S. Horita, Y. Abe, T. Kawada (Ishikawa, Japan)

Epitaxy of titanium nitride thin films grown by nitrogen implantation 32
Y. Kasukabe, J. Ootubo, S. Takeda, S. Nagata, M. Kishimoto, Y. Fujino, S. Yamaguchi, Y. Yamada (Sendai, Japan)

Epitaxial growth of silver on an Si(111) $\sqrt{3} \times \sqrt{3}$ Au surface at room temperature 36
A. Ichimiya, H. Iwashige, M. Lijadi (Nagoya, Japan)

Heteroepitaxy of KCl on KBr substrate 39
A. Natori, A. Tanaka, H. Yasunaga (Tokyo, Japan)

Impurity doping during $Pb_{1-x}Sn_xSe/CaF_2$ epitaxial growth 43
M. Suzuki, T. Seki (Sendai, Japan)

Crystalline quality of α-Fe films on Si(111) and Ge(111) substrates grown by direct ion beam deposition 46
S. Shimizu, N. Sasaki (Kanagawa, Japan)

Langmuir probe evaluation of ion bombardment during Ti–N growth by unbalanced magnetron sputtering 52
C. Wiemer, F. Lévy (Lausanne CH, Switzerland), R. Messier (University Park, PA, USA)

An atomic force microscopy study of thin copper oxide films grown by molecular beam epitaxy on MgO(100) 57
A. Brazdeikis, U.O. Karlsson, A.S. Flodström (Stockholm, Sweden)

Growth of CeO_2 thin films by metal–organic molecular beam epitaxy 60
S. Ikegawa, Y. Motoi (Kawasaki, Japan)

Thermodynamic equilibrium and mass transport coupled modelling of the chemical vapour deposition process 64
H. Rouch, M. Pons, A. Benezech, C. Bernard, R. Madar (Saint-Martin d'Hères, France)

Monte Carlo simulation of the variation of a binary alloy film composition due to intrinsic resputtering using different working gases 68
W. Bauer, G. Betz, H. Bangert, A. Bergauer, C. Eisenmenger-Sittner (Wien, Austria)

Phase transitions in ultrathin Al films on Si(111) surfaces 73
R. Gröger, P. Von Blanckenhagen (Karlsruhe, Germany)

Ultrathin film of Cu on α-Fe_2O_3(0001) 76
P.J. Møller (Copenhagen, Denmark), Q. Guo, L. Gui (Beijing, People's Republic of China)

Elsevier Science S.A.

In situ observation of the in-plane structure of C60 thin films on metal substrates prepared by molecular beam deposition 80
Y. Yoshida, N. Tanigaki, K. Yase (Ibaraki, Japan)

Difference of Si nodules precipitating from Al–*X* wt.% Si ($X=0.5\sim3.3$) 84
C. Noritake, I. Kondo, K. Kondo, O. Takenaka (Aichi, Japan), A. Kinbara (Ishikawa, Japan)

Chemical state analysis of surface and interface segregates in coevaporated Al–Sn–O systems 90
L. Kövér (Debrecen, Hungary), P.B. Barna (Budapest, Hungary), R. Sanjinés (Lausanne, Switzerland), Zs. Kovács (Debrecen, Hungary), G. Margaritondo (Lausanne, Switzerland), M. Adamik, Zs. Radi (Budapest, Hungary)

Thin film silicon compound growth mechanisms: $CrSi_2/Si(001)$ 94
C. Heck, M. Kusaka, M. Hirai, M. Iwami, Y. Yokota (Okayama, Japan)

Initial plasma oxidation kinetics of silicon: DC bias effects 98
I. Kamioka, K.G. Nakamura, T. Kawabe, M. Kitajima (Ibaraki, Japan)

Energy-selective electron cyclotron resonance plasma for controlled surface reaction processes 102
P. O'Keeffe, H. Mutoh, S. Den, Y. Hayashi (Kawagoe, Japan), S. Komuro, T. Morikawa (Saitama, Japan)

The role of neutral oxygen radicals in the oxidation of Ag films 105
A.A. Schmidt, J. Offermann, R. Anton (Hamburg, Germany)

Model for oxidation of TiN in ion-beam-assisted deposition process 108
H. Kubota (Kumamoto, Japan), M. Easterbrook (Pasadena, CA, USA), M. Tokunaga, I. Sakata, M. Nagata (Kumamoto, Japan), M.A. Nicolet (Pasadena, CA, USA)

Electron-beam-induced oxidation of indium particles embedded in a plasma polymer thin film matrix 112
A.-D. Müller, A. Heilmann, F. Müller (Chemnitz, Germany)

In-depth concentration profile equation for cations in thin oxide film under the inverse logarithmic growth law of low-temperature oxidation 117
I. Ishikawa (Sendai, Japan)

Oxygen adsorption and desorption induced surface phase transition of $SrCuO_2(001)$ 120
H. Ogasawara (Saitama, Japan), T. Sakuma, M. Tsukakoshi (Tokyo, Japan), M. Kawai (Saitama, Japan)

Comments on the interdiffusivities evaluated by the decay rate of the satellite peak measured by X-ray diffraction 124
O. Nittono, S. Ando (Tokyo, Japan)

Microstructure and preferred orientation in pure titanium films deposited by two-facing-target-type DC sputtering 128
T. Miyoshi, Y. Haga, O. Nittono (Tokyo, Japan)

Columnar structures in Fe-based metallic multilayers prepared with the facing-target-type DC sputtering method 132
Y. Haga, O. Nittono (Tokyo, Japan)

Large area deposition: Sputtering- and PCVD-systems and techniques for LCD 136
N. Hosokawa (Tokyo, Japan)

Remote deposition of scratch resistant films by use of slot antenna microwave plasma source 143
D. Korzec, K. Traub, F. Werner, J. Engemann (Wuppertal, Germany)

Generation of large-area disk-shaped ECR plasma for diamond deposition 146
A. Murai, I. Ohya, T. Yasui, H. Tahara, T. Yoshikawa (Osaka, Japan)

A rectangular large ECR plasma source 149
S. Tada, W. Miyazawa, Y. Sakamoto, S. Den, Y. Hayashi (Saitama, Japan)

Sheet-shaped ECR plasma generation using permanent magnets for material processing 152
K. Nakase, T. Shibata, T. Yasui, H. Tahara, T. Yoshikawa (Osaka, Japan)

Plasma-enhanced CVD of TiN and Ti using low-pressure and high-density helicon plasma 155
R. Tobe, A. Sekiguchi, M. Sasaki, O. Okada, N. Hosokawa (Tokyo, Japan)

Thermoelectric power of polycrystalline Si films prepared by microwave plasma chemical vapour deposition 159
S. Yonekubo, K. Kamimura, Y. Onuma (Nagano, Japan)

The enhancement of plasma confining effect at low gas pressure in the sputtering apparatus with floating potential cathode 162
T. Takahashi, S. Iwatubo, M. Asada (Toyama, Japan), M. Naoe (Tokyo, Japan)

Effects of magnet behind the target on discharge and sputtering characteristics in the sputtering apparatus 166
T. Takahashi, S. Iwatubo, M. Asada (Toyama, Japan), M. Naoe (Tokyo, Japan)

New plasma source with an UHF (500 MHz) antenna 169
Y. Nakagawa (Tokyo, Japan), S. Samukawa (Ibaraki, Japan), H. Ueyama (Kanagawa, Japan), T. Tsukada (Tokyo, Japan), K. Shinohara (Kanagawa, Japan)

Excited oxygen beam by R.F. type multicapillary ion source 172
A. Okamoto, S. Ogawa, T. Ueno, S. Fukui (Osaka, Japan)

Thin film growth using a high-current, mass-separated low energy ion beam deposition system 175
N. Sasaki, S. Shimizu, S. Ogata (Kanagawa, Japan)

Transparent, conductive CuI films prepared by rf-dc coupled magnetron sputtering 179
T. Tanaka, K. Kawabata (Hiroshima, Japan), M. Hirose (Higashi-Hiroshima, Japan)

TiN films prepared by unbalanced planar magnetron sputtering under control of photoemission of Ti 182
K. Tominaga (Tokushima, Japan), S. Inoue (Himezi, Japan), R.P. Howson (Leicestershire, UK), K. Kusaka, T. Hanabusa (Tokushima, Japan)

Requirements for sputtering magnetic alloys on organic film 186
P. Lippens, H. Lievens (Zulte, Belgium)

A theory on planar magnetron discharge 190
T. Miura, T. Asamaki (Tokyo, Japan)

ITO films prepared by facing target sputtering system 194
K. Tominaga, T. Ueda, T. Ao, M. Kataoka, I. Mori (Tokushima, Japan)

Large area deposition of ITO films by cluster type sputtering system 198
K. Ishibashi, K. Watabe, N. Hosokawa (Tokyo, Japan)

Crystal growth of ITO films prepared by DC magnetron sputtering on C film 202
H. Morikawa, H. Sumi, M. Kohyama (Nagoya, Japan)

The effects of oxygen content on electrical and optical properties of indium tin oxide films fabricated by reactive sputtering 206
S. Honda, M. Watamori, K. Oura (Osaka, Japan)

Ozone in reactive gas for producing tin-doped indium oxide films by DC reactive magnetron sputtering 209
A.H.M. Zahirul Alam, K. Sasaki, T. Hata (Kanazawa, Japan)

High-rate deposition of SiO_2 by modulated DC reactive sputtering in the transition mode without a feedback system 213
H. Ohsaki, Y. Tachibana, J. Shimizu, T. Oyama (Yokohama, Japan)

Physical properties of evaporated molybdenum oxide films 218
N. Miyata, T. Suzuki, R. Ohyama (Shimonoseki-shi, Japan)

DC reactive sputtering of electro-conductive transparent tin suboxide using a $Sn–O_2/Ar$ system 223
H. Ohsaki (Yokohama, Japan)

Highly conductive transparent F-doped tin oxide films were prepared by photo-CVD and thermal-CVD 228
T. Ishida, O. Tabata (Ikeda, Japan), J.i. Park, S.H. Shin (Kyeon-ggi-do, Korea), H. Magara (Fukui, Japan), S. Tamura, S. Mochizuki, T. Mihara (Ikeda, Japan)

Thin film used to obtain a constant temperature lower than the ambient 232
M. Tazawa, P. Jin, S. Tanemura (Nagoya, Japan)

Characterization of niobium oxide electrochromic thin films prepared by reactive d.c. magnetron sputtering 235
K. Yoshimura, T. Miki, S. Iwama, S. Tanemura (Nagoya, Japan)

$V_{1-x}Mo_xO_2$ thermochromic films deposited by reactive magnetron sputtering 239
P. Jin, S. Tanemura (Nagoya, Japan)

Influence of deposition parameters on layer structure of Ag/C multilayer zone plates for use in hard X-ray region 243
S. Tamura, K. Ohtani, N. Kamijo (Osaka, Japan), Y. Suzuki (Saitama, Japan), H. Kihara (Osaka, Japan)

Modelling of lift-off sputter deposition and application to fabrication of a microlens 246
T. Serikawa, S. Shirai (Tokyo, Japan)

Study of optical transient relaxation of an Ag–O–Ba thin film 249
J.L. Wu, C.M. Wang, Q.D. Wu, Z.J. Xia, Y.H. Zou (Beijing, People's Republic of China)

Synthesis of β-$FeSi_2$ for optical applications by Fe triple-energy ion implantation into Si(100) and Si(111) substrates 252
H. Katsumata, Y. Makita, N. Kobayashi, M. Hasegawa, H. Shibata (Ibaraki-ken, Japan), S. Uekusa (Kanagawa-ken, Japan)

Diamond (111) and (100) surface reconstructions 256
A. Scholze, W.G. Schmidt, F. Bechstedt (Jena, Germany)

In situ optical characterization of carbon layers formed in the initial stages of diamond growth 260
J.L. Longueville, S. Moulin, A.M. Bonnot (Grenoble, France)

Diamond film growth by pulse-modulated magnetoactive microwave plasma chemical vapour deposition 264
A. Hatta, H. Suzuki, K. Kadota, T. Ito, A. Hiraki (Suita, Japan)

Electrical properties of boron-doped diamond films prepared by microwave plasma chemical vapour deposition 267
M. Deguchi, M. Kitabatake (Kyoto, Japan), T. Hirao (Osaka, Japan)

Ion implantation in predoped CVD diamond 271
H. Yagyu (Osaka, Japan), M. Deguchi (Kyoto, Japan), Y. Mori, A. Hatta, T. Ito (Osaka, Japan), M. Kitabatake, H. Sakakima (Kyoto, Japan), T. Hirao, A. Hiraki (Osaka, Japan)

Formation of paramagnetic defects in CVD diamond films (ESR study) 275
Y. Show, Y. Nakamura, T. Izumi (Kanagawa, Japan), M. Deguchi, M. Kitabatake (Soraku, Japan), T. Hirao, Y. Mori, A. Hatta, T. Ito, A. Hiraki (Osaka, Japan)

Ultrahigh particle density seeding with nanocrystal diamond particles 279
H. Makita (Suita, Japan), K. Nishimura (Kita-Kyushu, Japan), N. Jiang, A. Hatta, T. Ito, A. Hiraki (Suita, Japan)

Electron microscopic analysis of chemical-vapour-deposited diamond surface by a novel method 282
N. Jiang, A. Hatta, J. Won, Y. Mori, T. Ito, T. Sasaki, A. Hiraki (Osaka, Japan)

Study of diamond synthesized by simple hot-filament-assisted CVD in various conditions 285
H. Kondo, T. Endo, K. Toyoshima, Y. Hirayoshi (Saga, Japan)

Carbon nitride thin films deposited by the reactive ion beam sputtering technique 289
S. Kobayashi, S. Nozaki, H. Morisaki, S. Fukui, S. Masaki (Tokyo, Japan)

Fluorine-containing amorphous hydrogenated carbon films 294
S.F. Durrant, R. Landers, G.G. Kleiman, S.G. Castro, M.A. Bica de Moraes (Campinas, SP, Brazil)

Oxidation of TiN, ZrN, TiZrN, CrN, TiCrN and TiN/CrN multilayer hard coatings reactively sputtered at low temperature 298
P. Panjan, B. Navinšek, A. Cvelbar, A. Zalar, I. Milošev (Ljubljana, Slovenia)

The effects of Tl impurities on the properties of amorphous SiC:H films prepared by co-sputtering 302
N. Saito (Takamatsu, Japan), Y. Inui, T. Yamaguchi (Hamamatsu, Japan), I. Nakaaki (Shizuoka, Japan)

Improvement in the stability of amorphous SiN–BN films prepared by hybrid-plasma-enhanced chemical vapour deposition 305
K. Yasui, H. Itoh, T. Akahane (Niigata, Japan)

Electrical, optical and structural properties of a-SiNGe:H films prepared by the r.f. glow-discharged decomposition 308
I. Nakaaki (Hamamatsu, Japan), N. Saito (Takamatsu, Japan)

Highly adhesive TiN thin films prepared on glass by the electron shower method 311
H. Yumoto, K. Kaneko, M. Ishihara, Y. Kato, K. Akashi (Chiba, Japan)

X-ray absorption and X-ray photoelectron spectroscopic studies of air-oxidized chromium nitride thin films 314
F. Esaka (Tokyo, Japan), H. Shimada, M. Imamura, N. Matsubayashi, T. Sato, A. Nishijima (Ibaraki, Japan), A. Kawana, H. Ichimura (Chiba, Japan), T. Kikuchi (Yamaguchi, Japan), K. Furuya (Tokyo, Japan)

Electron energy loss fine structure measurements of silicon nitride films 318
J. Tsukajima, K. Arai, S. Takatoh, T. Enokijima, T. Hayashi, T. Yikegaki (Kanagawa-ken, Japan), A. Kashiwagi, K. Tokunaga, T. Suzuki (Atsugi, Japan), T. Fujikawa (Chiba, Japan), S. Usami (Atsugi, Japan)

Effect of bias voltage on AlN thin films prepared by electron shower method 321
M. Ishihara, H. Yumoto, T. Tsuchiya, K. Akashi (Chiba, Japan)

Effects of r.f. bias on cubic BN film synthesis by pulsed Nd:YAG laser deposition 324
Y. Suda, T. Nakazono (Nagasaki, Japan), K. Ebihara (Kumamoto, Japan), K. Baba (Nagasaki, Japan)

Boron nitride hard coatings by ion beam and vapor deposition 327
S. Nishiyama, E. Takahashi, Y. Iwamoto, A. Ebe, N. Kuratani, K. Ogata (Kyoto, Japan)

Tribological properties of r.f. PACVD amorphous B–N–C coatings 331
E.H.A. Dekempeneer, J. Meneve, S. Kuypers, J. Smeets (Mol, Belgium)

Structural and electrical characterization of BC_2N thin films 334
M.O. Watanabe (Kawasaki, Japan), T. Sasaki (Ibaraki, Japan), S. Itoh, K. Mizushima (Kawasaki, Japan)

Stress–strain curves of sputtered thin films of Ti–Ni 337
A. Ishida, A. Takei, M. Sato, S. Miyazaki (Ibaraki, Japan)

Effect of nitrogen gas pressure on residual stress in AlN films deposited by the planar magnetron sputtering system 340
K. Kusaka, T. Hanabusa, K. Tominaga (Tokushima, Japan)

Residual stress and its thermal relaxation in TiN films 344
T. Matsue (Niihama, Japan), T. Hanabusa (Tokushima, Japan), Y. Ikeuchi (Niihama, Japan)

Mechanisms of reduction of the internal stress in hydrogenated silicon oxide films prepared by Ar–H_2 sputtering 348
H. Takahashi, A. Nishiguchi, H. Nagata, H. Kataoka (Chiba, Japan), M. Fujishima (Tokyo, Japan)

Study on the internal stress in nickel films deposited onto silicon substrates by ion beam and vapor deposition (IVD) 352
N. Kuratani, Y. Murakami, O. Imai, A. Ebe, S. Nishiyama, K. Ogata (Kyoto, Japan)

Improvement of the adhesion to polyimide substrates of copper films prepared by an ion beam and vapor deposition (IVD) method .. 356
A. Ebe, E. Takahashi, Y. Iwamoto, N. Kuratani, S. Nishiyama, O. Imai, K. Ogata (Kyoto, Japan), Y. Setsuhara, S. Miyake (Osaka, Japan)

Adhesion fracture of a two-layer Au evaporated film with C, W and Cr mixed 360
T. Hosaka (Yokohama, Japan)

Martensitic transformations in sputter-deposited Ti–Ni–Cu shape memory alloy thin films 364
S. Miyazaki, T. Hashinaga, A. Ishida (Ibaraki, Japan)

Electron transport in percolating gold films 368
G. Dumpich, S. Friedrichowski, P. Mikitisin (Duisburg, Germany)

Fabrication and characterization of $CuIn(S_xSe_{1-x})_2$ thin films deposited by r.f. sputtering 372
Y. Yamamoto (Fukui, Japan), T. Yamaguchi (Wakayama, Japan), Y. Demizu, T. Tanaka, A. Yoshida (Aichi, Japan)

(Cd,Zn)S thin films prepared by chemical bath deposition for photovoltaic devices 375
T. Yamaguchi (Gobo-shi, Japan), Y. Yamamoto (Sabae-shi, Japan), T. Tanaka, Y. Demizu, A. Yoshida (Toyohashi-shi, Japan)

Novel GaAs photocathodes with alkali antimonide intermediate layers and caesium–oxygen adlayers 379
T. Guo (Fujian, People's Republic of China)

Negative resistance characteristics and memory phenomena in electroformed planar metal films 383
H. Nakashima, K. Uozumi (Tokyo, Japan)

Photoluminescence analysis of CdS thin films under phase transition 386
R. Lozada-Morales, O. Zelaya-Angel (Mexico DF, Mexico)

Structure of gold-hydrocarbon composite thin films deposited using low-voltage plasma sputtering method 390
A. Okamoto, T. Nosaka, M. Yoshitake, Y. Suzuki, S. Ogawa (Osaka, Japan)

Preparation of Pd thin film photo-cathodes using ion-beam sputtering 393
T. Nosaka, M. Yoshitake, A. Okamoto, Y. Suzuki, S. Ogawa, H. Mima (Osaka, Japan)

High quality SiO_2 depositions from TEOS by ECR plasma 397
K. Sano, S. Hayashi, S. Wickramanayaka, Y. Hatanaka (Hamamatsu, Japan)

Deposition of SiO_2 and Ta_2O_5 films by electron-beam-excited plasma ion plating 401
K. Toki, K. Kusakabe, T. Odani, S. Kobuna, Y. Shimizu (Tokyo, Japan)

Surface properties of SiO_x monolayer photochemically formed on oxide semiconductors 404
H. Tada, M. Tanaka (Hyogo, Japan)

FTIR spectroscopy and AES study of water containment in SiO_2 thin films 409
A. Demšar, B. Colarič, S. Rus, J. Lindav, F. Švegelj, B. Orel, B. Praček, A. Zalar (Ljubljana, Slovenia)

Thin Si oxide films for MIS tunnel emitter by hollow cathode enhanced plasma oxidation 412
K. Usami, I. Takahashi, E. Miyake, M. Moriya, X.Y. Cai, T. Kobayashi, T. Goto (Tokyo, Japan)

Tantalum oxide films on silicon grown by tantalum evaporation in atomic oxygen 415
J. Hudner, P.-E. Hellberg, D. Kusche (Kista-Stockholm, Sweden), H. Ohlsén (Stockholm, Sweden)

Growth and characterization of Ta_2O_5 thin films on Si by ion beam sputter deposition 419
K.S. Park, D.Y. Lee (Seoul, South Korea), K.J. Kim, D.W. Moon (Daejon, South Korea)

Investigation of the effects of pumping speed and Ar/O_2 ratio on the transient time at mode transition in Ti–O_2 reactive sputtering ... 423
E. Kusano, A. Kinbara (Ishikawa Pref., Japan)

Characteristics of rutile TiO_2 films prepared by r.f. magnetron sputtering at a low temperature 427
K. Okimura, N. Maeda, A. Shibata (Fukui, Japan)

Surface morphology of TiO_x films prepared by an ion-beam-assisted reactive deposition method 431
M. Sasase (Tokyo, Japan), K. Miyake, T. Yamaki (Ibaraki, Japan), I. Takano, S. Isobe (Tokyo, Japan)

The structural characteristics of VO_x films prepared by He-introduced reactive RF unbalanced magnetron sputtering 436
H. Miyazaki, F. Utsuno, Y. Shigesato, I. Yasui (Tokyo, Japan)

Velocity analysis of ablated particles in pulsed laser deposition of NiO film 441
Y. Tasaka, H. Kuroda, M. Tanaka, S. Usami (Yokohama, Japan)

Preparation and some properties of nitrogen-mixed ZnO thin films 445
Y. Sato, S. Sato (Akita, Japan)

Growing $BaTiO_3$ thin films on Si(100) with MgO-buffer layers by sputtering 449
S. Kim, S. Hishita (Ibaraki, Japan)

Transition metal oxide films prepared by pulsed laser deposition for atomic beam detection 453
M. Tanaka, M. Mukai, Y. Fujimori, M. Kondoh, Y. Tasaka, H. Baba, S. Usami (Yokohama, Japan)

c-axis-oriented $PbTiO_3$ thin films prepared by sputter-assisted plasma CVD 457
T. Mihara, S. Mochizuki, R. Makabe (Osaka, Japan)

Oxidation of Zn films by irradiation with an excited metastable He beam 460
T. Koyanagi, T. Fujii, R. Oi, N. Hironaga, K. Matsubara (Ube, Japan)

Preparation of $PbTiO_3$ thin films by ion-beam sputtering 463
H. Hashima, S. Nakajima (Nisinomiya, Japan), Y. Suzuki, S. Ogawa (Osaka, Japan)

Selective gas detection by means of surface plasmon resonance sensors 466
S. Miwa, T. Arakawa (Fukuoka, Japan)

Magnetic structure and magnetoresistance of metallic multilayers 469
T. Shinjo (Kyoto-fu, Japan)

Magnetic thin films for high-density recording 474
J.C. Lodder (Enschede, The Netherlands)

Magnetic and structural properties of Fe films deposited by ion-beam sputtering with a high-energy assisted process 484
S. Iwatsubo, T. Takahashi (Toyama, Japan), M. Naoe (Tokyo, Japan)

Growth kinetics of thin oxide layers; oxidation of Fe and Fe–N phases at room temperature 488
B.J. Kooi, M.A.J. Somers, E.J. Mittemeijer (Delft, The Netherlands)

Metastable spin-states and magnetic anisotropies of thin fcc Fe-layers on Cu(100) 492
R. Lorenz, J. Hafner (Wien, Austria)

Magnetoresistance and magnetic properties of ferromagnetic multilayers 496
Y. Gondó (Kitakyushu, Japan), Y. Suezawa (Ichihara, Japan)

Growth of MnSb and Mn_2Sb epitaxial layers on GaAs substrates by hot-wall epitaxy 499
H. Tatsuoka, H. Kuwabara, M. Oshita, T. Nakamura, H. Fujiyasu, Y. Nakanishi (Hamamatsu, Japan)

Preparation of films of $(Tb,Dy)Fe_2$ giant magnetostrictive alloy by ion beam sputtering process and their characterization 503
M. Wada, H.-H. Uchida, Y. Matsumura, H. Uchida (Hiratsuka, Japan), H. Kaneko (Tokyo, Japan)

Xe^+-beam sputtered $YBa_2Cu_3O_X$ thin films on Si wafers 507
K. Hatanaka, K. Yokota, H. Fujimoto, T. Itoh, M. Tatsumi, M. Watanabe, T. Takagi (Osaka, Japan)

The influence of Bi-sticking coefficient in the growth of Bi(2212) thin film by ion beam sputtering 510
S. Migita, K. Sakai, H. Ota, Z. Mori, R. Aoki (Osaka prefecture, Japan)

Digital laser etching of Bi–Sr–Ca–Cu–O superconducting thin films 513
T. Oohira, S. Sakai, Y. Kasai, K. Shimizu (Ibaraki, Japan)

Comparison between Bi-superconductor thin films fabricated via co-deposition and layer-by-layer deposition by ion beam sputtering method 517
Z. Mori, H. Ota, S. Migita, K. Sakai, R. Aoki (Suita, Osaka, Japan)

Two-dimensionally oriented organic molecules as a substrate for vapor growth of zinc thin films 521
H. Lin, H. Ando, W.S. Seo, K. Kuwabara, K. Koumoto (Nagoya, Japan)

Quantitative estimation of organic molecular beams by using quadrupole mass spectroscopy 525
K. Yase, Y. Yoshida (Ibaraki, Japan)

Changes in surface morphology and optical properties of polymers induced by ion implantation 529
M. Ikeyama, Y. Hayakawa, M. Tazawa, S. Nakao, K. Saitoh, Y. Miyagawa, S. Miyagawa (Nagoya, Japan)

Improvement of the partial discharge resistance of polymer films by coating with plasma-polymerized films 533
M. Kusabiraki, M. Aozasa (Osaka, Japan)

Plasma polymerized acetylene thin film by pulsed discharge 536
T. Uchida, K. Senda, G.K. Vinogradov, S. Morita (Nagoya, Japan)

Time dependence of current of plasma polymerized polystyrene thin film upon exposure to NO_2 gas 539
S. Takeda (Tokyo, Japan)

Direct observation of the crystallization in EL organic thin films by total reflection X-ray diffractometer 542
K. Orita, K. Hayashi, T. Horiuchi, K. Matsushige (Kyoto, Japan)

Production of a bridge structure using diamond film 545
K. Hoshikawa, K. Kobayashi, T. Watanabe (Kanagawa, Japan), F. Togashi (Tokyo, Japan)

Surface structure of a fluorinated thiol on Au(111) by scanning force microscopy 548
M. Motomatsu, W. Mizutani, H.-Y. Nie, H. Tokumoto (Ibaraki, Japan)

Microstructure of spark-processed blue luminescent CdTe, GaSb, and InSb 552
A. Gudiño-Martínez (Lomas Sec, SLP, Mexico), C. Falcony, C. Vázquez-López (México D.F., Mexico), H. Navarro, M.A. Vidal (Lomas Sec, SLP, Mexico), J. Araujo-Osorio, J.G. Cabañas-Moreno (México D.F., Mexico)

Surface geometry of MBE-grown GaAs(001) surface phases 556
Q. Xue, T. Hashizume, T. Sakata, Y. Hasegawa (Sendai, Japan), A. Ichimiya (Nagoya, Japan), T. Ohno (Ibaragi, Japan), T. Sakurai (Sendai, Japan)

Investigation of thin-film transistors using a combination of focused ion beam etching and cross-sectional transmission electron microscopy observation 562
S. Tsuji (Kanagawa, Japan), K. Tsujimoto, N. Tsutsui, N. Miura (Shiga, Japan), K. Kuroda, H. Saka (Nagoya, Japan)

N_2-plasma-nitridation effects on porous silicon 568
H. Yokomichi (Toyama, Japan), A. Masuda, Y. Yonezawa, T. Shimizu (Kanazawa, Japan)

Electrochemical nanolithography using scanning probe microscopy: fabrication of patterned metal structures on silicon substrates 572
H. Sugimura, N. Nakagiri (Tsukuba, Japan)

Instrumentation of a wafer inspection large sample atomic force microscope 576
M. Yasutake, S. Wakiyama, M. Kitamura (Shizuoka, Japan), N. Fujino, I. Karino (Hyogo, Japan), M. Oumori (Shizuoka, Japan)

Simulation of atomic force microscopy image variations due to tip apex size: appearance of half spots 580
M. Komiyama (Kofu, Japan), K. Tazawa, K. Tsujimichi, A. Hirotani, M. Kubo, A. Miyamoto (Sendai, Japan)

Properties of nanophase grains of superconducting YBCO prepared by wet-type jet mill 584
H. Kezuka (Tokyo, Japan), Z. Xi (Beijing, People's Republic of China), Y. Miyanaga, C. Kan-nari (Tokyo, Japan)

STM modification of MoS_2 in the nanometer-scale using a gas–solid reaction 588
M. Kohno, T. Doi, T. Hasegawa, S. Tomimatsu, S. Hosoki (Tokyo, Japan)

Reconstruction of heat treated 6H-SiC(0001) surfaces: AES, STM 591
M. Hirai, Y. Marumoto, T. Tsukamoto, M. Kusaka, M. Iwami (Okayama, Japan), T. Ozawa, T. Nagamura, T. Nakata (Osaka, Japan)

Scanning tunnelling microscopy study on dynamic structural formation in mixed fatty-acid monolayers at liquid/graphite interface .. 594
M. Hibino, A. Sumi, I. Hatta (Nagoya, Japan)

Molecular dynamics simulation of traction fluid molecules under EHL condition 598
H. Yamano, K. Shiota, R. Miura, M. Katagiri, M. Kubo, A. Stirling, E. Broclawik, A. Miyamoto (Sendai, Japan), T. Tsubouchi (Chiba, Japan)

Initial stage of C_{60} film growth and reaction on Si(111)7×7 and graphite surfaces studied by HREELS–STM 602
S. Suto, A. Kasuya, C.-W. Hu, A. Wawro, K. Sakamoto, T. Goto, Y. Nishina (Sendai, Japan)

Nanofabrication on n-GaAs surface using a scanning tunnelling microscope in a Ni-salt solution 606
C. Kaneshiro, T. Okumura (Tokyo, Japan)

Visible light emission from the porous alloyed Pt/Si contacts 610
T. Ichinohe, S. Nozaki, H. Morisaki (Tokyo, Japan)

High-resolution electron microscopy of $Gd@C_{82}$ metal fullerenes grown on MgO(001) surfaces 613
N. Tanaka, Y. Honda, M. Kawahara, M. Kishida, H. Shinohara (Nagoya, Japan)

C60 single crystal films on GaAs(001) surfaces 618
Q. Xue, Y. Ling, T. Ogino (Sendai, Japan), T. Sakata (Osaka, Japan), Y. Hasegawa (Sendai, Japan), T. Hashizume (Saitama, Japan), H. Shinohara (Nagoya, Japan), T. Sakurai (Sendai, Japan)

Friction-force microscopy of peptide filament: an application to estimate the size of a supramolecular unit 624
J. Masai, T. Shibata-Seki (Yokohama, Japan), Y. Ogawa, K. Sato, H. Yanagawa (Tokyo, Japan)

New fast atom beam processing with separated masks for fabricating multiple microstructures 630
K. Ichiki, M. Hatakeyama (Kanagawa, Japan), S. Tanaka, M. Nakao, Y. Hatamura (Tokyo, Japan)

Development of a mesoscale/nanoscale plasma generator 634
K. Terashima (Tokyo, Japan), L. Howald, H. Haefke, H.-J. Güntherodt (Basel, Switzerland)

Scanning tunnelling microscope-induced oxidation of hydrogen passivated silicon surfaces 637
N. Kramer, M.R. Van den Berg, C. Schönenberger (Eindhoven, The Netherlands)

Nanoscale Al patterning on an STM-manipulated Si surface 640
T. Ono, H. Hamanaka, T. Kurabayashi, K. Minami, M. Esashi (Sendai, Japan)

Development of UHV-STM/STS at 2 K 644
K. Hattori, T. Iimori, K. Komori (Tokyo, Japan)

Development of a near-field optical system for investigating thin organic films 647
L.A. Nagahara, H. Tokumoto (Ibaraki, Japan)

Micromachine-actuator rotated by rarefied gas effects 651
K. Kasahara, M. Ota, M. Sakamoto (Tokyo, Japan)

Author Index of Volumes 281–282 655

Subject Index of Volumes 281–282 657

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.